

To: Nye, Michael[nye.michael@epa.gov]; Jahne, Michael[Jahne.Michael@epa.gov]
From: Garland, Jay
Sent: Thur 12/7/2017 3:36:46 PM
Subject: RE: SOW Draft document

We are planning on operating the WaterGen system for ~3 months. Ideally, we would like to evaluate the systems from a “clean” start for up to 3 months of continuous operation. But we are flexible to their own operating schedule. Biweekly samples over a couple of months would be acceptable. We are specifically interested in “dual” sampling at each of the timepoints, both of the final product water and, if possible, water at the point of collection prior to disinfection (this assumes that they unit involves some form of disinfection).

Should we try to set up phone call?

From: Nye, Michael
Sent: Thursday, December 07, 2017 9:11 AM
To: Garland, Jay <Garland.Jay@epa.gov>; Jahne, Michael <Jahne.Michael@epa.gov>
Subject: RE: SOW Draft document

Have we identified the time frame for operational testing? Does the unit need to be run continuously? I would assume they would want to run in whatever pattern was most representative of SOP?

M

Michael B. Nye PhD

Net Zero Program Manager

National Exposure Research Laboratory

EPA Region 8 - Denver

US Environmental Protection Agency

T: 303 312 6986

M: 303 912 8259

Begin forwarded message:

From: Roy Schwartz <[REDACTED] Ex. 6 - Personal Privacy>
Date: December 6, 2017 at 3:25:15 PM MST
To: "Nye, Michael" <nye.michael@epa.gov>
Subject: Re: SOW Draft document

Michael,

I have to check that email again. Assuming the language was removed that said we have to make a payment to the EPA, it should be ok.

I also need to know how long you want us to operate and if continuously. This has cost implications as we use [REDACTED] Ex. 4 - CBI

Roy Schwartz

Sent from my iPhone

On Dec 6, 2017, at 2:11 PM, Nye, Michael <nye.michael@epa.gov> wrote:

Hi Roy

I can confirm that we can work with shipped samples. Do you have any other questions on the CRADA? Was the altered language I sent last week acceptable?

Best

Michael B. Nye PhD

Net Zero Program Manager

National Exposure Research Laboratory

EPA Region 8 - Denver

US Environmental Protection Agency

T: 303 312 6986

M: 303 912 8259

From: Nye, Michael

Sent: Monday, December 04, 2017 10:12 AM

To: 'Roy Schwartz' <[REDACTED]> **Ex. 6 - Personal Privacy**

Subject: RE: SOW Draft document

Hi Roy

I think shipping samples will be fine. We have a call later today to discuss internally and I can update you after.

All best and thanks for your patience!

Mike

Michael B. Nye PhD

Net Zero Program Manager

National Exposure Research Laboratory

EPA Region 8 - Denver

US Environmental Protection Agency

T: 303 312 6986

M: 303 912 8259

From: Nye, Michael

Sent: Monday, November 27, 2017 12:49 PM

To: 'Roy Schwartz' <[mailto:]> **Ex. 6 - Personal Privacy**

Subject: RE: SOW Draft document

Hi Roy

I'm working on an answer for this?

M

Michael B. Nye PhD

Net Zero Program Manager

National Exposure Research Laboratory

EPA Region 8 - Denver

US Environmental Protection Agency

T: 303 312 6986

M: 303 912 8259

From: Roy Schwartz [mailto:] **Ex. 6 - Personal Privacy**

Sent: Monday, November 27, 2017 12:05 PM

To: Nye, Michael <nye.michael@epa.gov>

Subject: Re: SOW Draft document

Roy Schwartz

Director of Project Financing

Clean Power Capital

415-320-5625 mobile

Cleanpowercapital.net

Ex. 6 - Personal Privacy

On Mon, Nov 27, 2017 at 10:26 AM, Roy Schwartz wrote: **Ex. 6 - Personal Privacy**

Michael,

Our system is currently in Tijuana Mexico. Can you do the water sampling, or can we send you water samples from Tijuana?

We need to know if you need us to deliver the system to EPA facilities, and the duration of the testing.

Roy Schwartz

V.P. of Project Development and Financing

Skyh2O, Inc.

415-320-5625 mobile

www.Skyh2oinc.com

Ex. 6 - Personal Privacy

On Mon, Nov 27, 2017 at 10:08 AM, Nye, Michael <nye.michael@epa.gov> wrote:

Hi Roy

How about this modified language for clause 4.1

Ex. 5 - Deliberative Process

Michael B. Nye PhD

Net Zero Program Manager

National Exposure Research Laboratory

EPA Region 8 - Denver

US Environmental Protection Agency

T: [303 312 6986](tel:3033126986)

M: [303 912 8259](tel:3039128259)

From: Roy Schwartz [mailto:roy.schwartz@epa.gov] **Ex. 6 - Personal Privacy**

Sent: Wednesday, November 22, 2017 9:43 AM

To: Nye, Michael <nye.michael@epa.gov>

Cc: Poole, James <jhpoole@trane.com>; Bill Kelly

<wkelly@slenvironment.com>; Scalise, Laura

<Scalise.Laura@epa.gov>; Garland, Jay <Garland.Jay@epa.gov>;

Graham, Kathleen <Graham.Kathleen@epa.gov>; Bauer, Sarah

<Bauer.Sarah@epa.gov>; Jahne, Michael <Jahne.Michael@epa.gov>;

Ma, Cissy <Ma.Cissy@epa.gov>

Subject: Re: SOW Draft document

Michael and EPA Team,

Thank you for the phone meeting.

The draft SOW discusses testing over a period of three months. We will clean and sterilize the AWG system using food industry methods prior to operation and testing. Do you have an idea of how long you want us to continuously operate the system and does this need to be 24 x 7?

We would like to delete clause 4.1 in the CRADA which also has payment address and wire transfer instructions:

Ex. 5 - Deliberative Process

Thank you and have a good holiday.

Roy Schwartz

V.P. of Project Development and Finance

SkyH2O, Inc.

415-320-5625 mobile

www.Skyh2oinc.com

Ex. 6 - Personal Privacy

On Mon, Nov 20, 2017 at 1:03 PM, Nye, Michael
<nye.michael@epa.gov> wrote:

Thanks again for meeting with us today Roy and Bill. As promised, please find attached a draft and very general SOW for our CRADA research on AWG. We can tailor this (within reason) to fit your needs and your product.

All best and have a wonderful holiday break

Michael B. Nye PhD

Net Zero Program Manager

National Exposure Research Laboratory

EPA Region 8 - Denver

US Environmental Protection Agency

T: [303 312 6986](tel:3033126986)

M: [303 912 8259](tel:3039128259)